





# SuperSpeed USB 3.1 Gen 1 interface

Compliant with the SuperSpeed USB 3.1 Gen 1 specification, Transcend's HUB2 provides data transfer rates up to 10 times faster than USB 2.0, allowing you to enjoy fast and efficient data transfer.



# Transforms a single USB 3.1 Gen 1 port into four

Transcend's HUB2 transforms a single port into four, instantly expanding the number of devices that you can connect to your computer at one time. It's perfect for Ultrabooks and thin-and-light notebooks that lack many USB 3.1 Gen 1 ports.



## USB powered with cable attached

HUB2 is USB bus powered with cable attached, thus no extra power adapter is needed. Simply connect your devices to HUB2 to instantly open and view your files. The small and compact design allows you to carry it around easily without adding any extra burden, ideal for travel and business trip.





# 4-port Hub **HUB2**

## **Features**

- USB 3.1 Gen 1 interface
- Up to 10x faster than USB 2.0
- Supports USB powered, no extra power adapter needed
- Comes with 4 USB 3.1 Gen 1 ports and USB cable attached
- Compact and portable design

Spe	-:£:-	: -	
Sne	CITIC	atic	าทร
JPC	$\sim$		,,,,

А	$\mathbf{n}$	n		$\supset$	r	$\supset$	n	_	
$\overline{}$	U	$\cup$	$\subset$	$\alpha$		а	11	L	$\subset$

Dimensions (Max.)	73.8 mm x 37.2 mm x 10.4 mm (2.91" x 1.46" x 0.41")			
Weight (Max.)	29 g (1.02 oz)			

## Interface

# Operating Environment

Operating Temperature	0°C (32°F) ~ 70°C (158°F)	
Operating Temperature	0°C (32°F) ~ /0°C (158°F)	

#### Power

Power Supply (Max.) 5V / 0.9A from USB port

# Warranty

Certificate	CE/FCC/BSMI/KC
Warranty	Two-year Limited Warranty

# System Requirement

Operating System	Microsoft Windows 7	
	Microsoft Windows 8	
	Microsoft Windows 10	
	Mac OS X 10.2.8 or later	
	Linux Kernel 2.6.30 or later	

# **Ordering Information**

TS-HUB2K

Product specifications are subject to change without notice. Pictures shown may differ from actual products. When used as a storage capacity unit, one terabyte (TB) = one trillion bytes. Total accessible capacity varies depending on operating environment.